Subject: matching unmet need in surveys to stata code Posted by erica.rettig on Wed, 04 Sep 2019 16:44:39 GMT

View Forum Message <> Reply to Message

Hello,

I am working with a number of surveys and am currently working on duplicating the unmet need calculations using the provided stata code at https://dhsprogram.com/topics/Unmet-Need.cfm.

From my investigation, it appears that some DHS recode versions 6 and 7 seem to use different code than provided at the above link. It's clear, given the different category names, as well as differences in the numbers for infecund/menopasual and not sexually active numbers, that the provided stata file is not what was used to calculate these numbers (see attached photo for example; this is Zimbabwe 2015 data but there are a large number of surveys with the same problem).

Is there updated code that I could use to duplicate these calculations?

File Attachments

1) zw7_calculations.PNG, downloaded 1644 times

Subject: Re: matching unmet need in surveys to stata code Posted by Trevor-DHS on Wed, 04 Sep 2019 17:24:02 GMT View Forum Message <> Reply to Message

Yes, using the code versus using v626a does show some differences, but the differences are not in unmet need. You will see that for all of the unmet need related categories the frequencies are the same (the categories 'unmet need for spacing' to 'no unmet need' are identical). The difference is purely in the categories of women who are not considered, and how those who never had sex, are not sexually active, or are infecund or menopausal are treated. Basically it is the order in which the categorization of those women is applied that shows the difference as women could be in more than one of those groups.

If you restrict your analysis to currently married women (v502==1), you will find no differences, however if you include all women you will see differences in some categories, but not in the unmet need categories.

Subject: Re: matching unmet need in surveys to stata code Posted by erica.rettig on Wed, 04 Sep 2019 17:53:09 GMT View Forum Message <> Reply to Message

Hi Trevor,

Page 1 of 4 ---- Generated from

Thank you for the response. I am trying to look at all women, so restricting it to married women doesn't actually solve my problem. I am also trying to convert the code to R code, so it is important to have the correct code initially so that I know any differences are due to my bugs and not issues with the provided code.

Subject: Re: matching unmet need in surveys to stata code Posted by Trevor-DHS on Wed, 04 Sep 2019 18:54:52 GMT

View Forum Message <> Reply to Message

The Stata code is the correct code. Some of the recode files were constructed before final decisions were made on the coding, but they don't affect unmet need calculations anyway.

Subject: Re: matching unmet need in surveys to stata code Posted by Liz-DHS on Wed, 04 Sep 2019 19:49:00 GMT

View Forum Message <> Reply to Message

Dear User, a response from senior analyst Dr. Shireen Assaf:

"Dear user,

Please refer to the DHS GitHub website for Stata code on unmet need:

https://github.com/DHSProgram/DHS-Indicators-Stata

This is found in Chapter 7 in the FP NEED.do file. It is also described in the Guide to DHS

Statistics: https://www.dhsprogram.com/Data/Guide-to-DHS-Statistics/inde

x.htm#t=Need_and_Demand_for_Family_Planning.htm

Thank you.

Best regards,

Shireen Assaf

The DHS Program"

Subject: Re: matching unmet need in surveys to stata code Posted by erica.rettig on Tue, 10 Sep 2019 16:07:58 GMT View Forum Message <> Reply to Message

Hello.

Thank you for the quick responses. However, I am still finding inconsistencies that are affecting the results. In the provided stata code, marriage status is checked between groups 2 and 3 (and then infecundity checks overwrite this, meaning that unmarried fecund women in groups 1 and 2 are included in the calculations). This is somewhat confusing, as it appears to be against the Bradley et al whitepaper, but I am assuming the code is correct over the whitepaper?

However, there are cases where it appears that marriage checks were performed before group 2 was calculated. For example, in RW6, there are 92 cases of unmarried women where the published v626a calculation is "not married and no sex in 30 days" and the unmet need calc using the provided stata code is "no unmet need". This also happens in 78 women in UG6. The list of RW6 mismatches is attached.

I want to confirm that the calculation of marriage should be done between groups 2 and 3 as per the stata code and that the published cases (and whitepaper charts) are incorrect.

File Attachments

1) rw6 inconsistencies.csv, downloaded 737 times

Subject: Re: matching unmet need in surveys to stata code Posted by erica.rettig on Wed, 11 Sep 2019 19:49:29 GMT View Forum Message <> Reply to Message

I have found a number of additional calculations that affect the outcome that I have verified are different in v626a vs the provided stata code (I am only looking at Africa, so of course there could be more outside of Africa):

v626a = infecund/menopausal, unmet= unmet need for limiting, cases: CM6 GA6 RW6 SN6 UG6 ZW6

16 11 4 1 6 6

v626a = not married and no sex in last 30 days, unmet = unmet need for limiting, cases:

RW6 UG6

59 35

v626a = infecund, menopausal, unmet = unmet need for spacing, cases:

BF6 CM6 ET6 GA6 RW6 SN6 UG6 ZW6

3 11 1 12 1 3 1 2

v626a = not married and no sex in last 30 days, unmet = unmet need for spacing, cases:

RW6 UG6

151 122

If you could advise me on these as well, it would be greatly appreciated! Thanks in advance.

Subject: Re: matching unmet need in surveys to stata code Posted by dasanchezp on Wed, 04 Dec 2019 11:36:06 GMT

View Forum Message <> Reply to Message



Do you have the code but for R?

Thanks in advance.

Subject: Re: matching unmet need in surveys to stata code Posted by erica.rettig on Fri, 29 Jan 2021 05:00:13 GMT View Forum Message <> Reply to Message

I never did find a solution but I reimplemented the correct code in R. Happy to pass it along or answer questions. I've done extensive work on it at this point.

ERettig .at. UCDavis.edu is my email (fix the at symbol to get the right address of course).